

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 23/2/2023
Version: 3.0
Replaces version: 2.0
Language: en-GB
Date of print: 6/3/2023

Kryo 70 A

Material number LZB x31

Page: 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Kryo 70 A

This safety data sheet pertains to the following products:

LZB 131: 5 L

LZB 231: 10 L

LZB 331: 20 L

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Heat transfer fluids
Industrial use
Professional uses / Public domain

1.3 Details of the supplier of the safety data sheet

Company name: Lauda Dr. R. Wobser GmbH & Co. KG
Street/POB-No.: Laudaplatz 1
Postal Code, city: DE-97922 Lauda-Königshofen
WWW: www.lauda.de
E-mail: info@lauda.de
Telephone: +49 (0)9343-503-0
Telefax: +49 (0)9343-503-222
Department responsible for information:
Department Quality Management,
Telephone: +49 9343 503-331, e-mail info@lauda.de

1.4 Emergency telephone number

National Poisons Information Service (Birmingham Unit)
Telephone: 844 892 0111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

2.2 Label elements

Labelling (CLP)

Hazard statements: not applicable

Precautionary statements: not applicable

2.3 Other hazards

Measurements taken at temperatures exceeding 150 °C have revealed that a small quantity of formaldehyde splits off through oxidative decomposition. Formaldehyde vapour is harmful by inhalation and irritating to eyes and respiratory system at breathing concentration less than one part per million (1ppm).
Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

The product does not contain any as PBT or vPvB classified substances.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 23/2/2023
Version: 3.0
Replaces version: 2.0
Language: en-GB
Date of print: 6/3/2023

Kryo 70 A

Material number LZB x31

Page: 2 of 8

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: Polydimethylsiloxane

SECTION 4: First aid measures

4.1 Description of first aid measures

In case of inhalation: Provide fresh air. Seek medical treatment in case of troubles.

Following skin contact: Remove residues with soap and water. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.
Protect skin by using skin protective cream.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an eye specialist in the event of irritation.

After swallowing: Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

No data available

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Alcohol resistant foam, extinguishing powder, carbon dioxide, atomized water, Sand

Extinguishing media which must not be used for safety reasons:

Full water jet

5.2 Special hazards arising from the substance or mixture

Flammable liquid. Heating will lead to pressure increase: Danger of bursting and explosion.
May form dangerous gases and vapours in case of fire.
Measurements taken at temperatures exceeding 150 °C have revealed that a small quantity of formaldehyde splits off through oxidative decomposition.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information:

Hazchem-Code: -

Cool endangered containers with water jetspray. Do not allow fire water to penetrate into surface or ground water.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 23/2/2023
Version: 3.0
Replaces version: 2.0
Language: en-GB
Date of print: 6/3/2023

Kryo 70 A

Material number LZB x31

Page: 3 of 8

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Stop leak if safe to do so. Avoid contact with the substance. Do not breathe vapour.
Ensure adequate ventilation, especially in confined areas.
Wear appropriate protective equipment. Keep unprotected people away. Take off contaminated clothing and wash it before reuse.

6.2 Environmental precautions

Do not allow to penetrate into soil, waterbodies or drains.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent materials such as sand, siliceous earth, acid- or universal binder. Store in special closed containers and dispose of according to ordinance.

Additional information: Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Avoid contact with skin and eyes. Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse.
Provide adequate ventilation, and local exhaust as needed.
Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.

Precautions against fire and explosion:

Keep away from sources of ignition and heat.
Take precautionary measures against static discharges.
When using product or filling containers, use only grounded equipment with bonding leads.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep only in original container. Store in well closed containers in a cool, dry, well-ventilated area.
Protect from direct sunlight. Opened containers shall be carefully closed and stored in upright position.

Hints on joint storage:

Keep away from food, drink and animal feedingstuffs.
Do not store together with oxidizing agents.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information: Contains no substances with occupational exposure limit values.

8.2 Exposure controls

When aerosols and vapours form: Withdraw by suction.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 23/2/2023
Version: 3.0
Replaces version: 2.0
Language: en-GB
Date of print: 6/3/2023

Kryo 70 A

Material number LZB x31

Page: 4 of 8

Personal protection equipment

Occupational exposure controls

Respiratory protection:	In case of inadequate ventilation wear respiratory protection. Respiratory protection in case of aerosol or vapour formation.
Hand protection:	Protective gloves according to EN 374. Glove material: polyvinyl chloride (PVC), acrylonitrile-butadiene-rubber (NBR), Nitrile rubber, Neoprene (NP) Breakthrough time: >480 min Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
Eye protection:	Tightly sealed goggles according to EN 166.
Body protection:	Wear suitable protective clothing.
General protection and hygiene measures:	Avoid contact with skin and eyes. Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Do not eat, drink or smoke when using this product.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:	Physical state at 20 °C and 101.3 kPa: liquid Colour: colourless
Odour:	odourless
Odour threshold:	No data available
pH:	No data available
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	275 °C
Flash point/flash point range:	> 125 °C (c.c.)
Evaporation rate:	No data available
Flammability:	No data available
Explosion limits:	LEL (Lower Explosion Limit): not applicable UEL (Upper Explosive Limit): not applicable
Vapour pressure:	No data available
Vapour density:	No data available
Density:	at 20 °C: 0.92 g/mL
Water solubility:	insoluble
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	Measurements taken at temperatures exceeding 150 °C have revealed that a small quantity of formaldehyde splits off through oxidative decomposition. Formaldehyde vapour is harmful by inhalation and irritating to eyes and respiratory system at breathing concentration less than one part per million (1ppm).
Viscosity, kinematic:	at 20 °C: 5 mm ² /s
Explosive properties:	No data available
Oxidizing characteristics:	No data available

9.2 Other information

Ignition temperature:	355 °C (DIN EN ISO/IEC 80079)
-----------------------	-------------------------------

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Kryo 70 A

Material number LZB x31

Revision date: 23/2/2023

Version: 3.0

Replaces version: 2.0

Language: en-GB

Date of print: 6/3/2023

Page: 5 of 8

Additional information:

Pour point: < -100 °C

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to subsection "Possibility of hazardous reactions".

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Protect from direct sunlight. Keep away from sources of ignition and heat.

10.5 Incompatible materials

Oxidising agent

10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are observed.

Thermal decomposition:

Measurements taken at temperatures exceeding 150 °C have revealed that a small quantity of formaldehyde splits off through oxidative decomposition.

Formaldehyde vapour is harmful by inhalation and irritating to eyes and respiratory system at breathing concentration less than one part per million (1ppm).

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 23/2/2023
Version: 3.0
Replaces version: 2.0
Language: en-GB
Date of print: 6/3/2023

Kryo 70 A

Material number LZB x31

Page: 6 of 8

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Toxicological effects:	<p>The statements are derived from the properties of the single components. No toxicological data is available for the product as such.</p> <p>Acute toxicity (oral): Based on available data, the classification criteria are not met.</p> <p>Acute toxicity (dermal): Based on available data, the classification criteria are not met.</p> <p>Acute toxicity (inhalative): Based on available data, the classification criteria are not met.</p> <p>Skin corrosion/irritation: Based on available data, the classification criteria are not met.</p> <p>Serious eye damage/irritation: Based on available data, the classification criteria are not met.</p> <p>Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.</p> <p>Skin sensitisation: Based on available data, the classification criteria are not met.</p> <p>Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.</p> <p>Carcinogenicity: Based on available data, the classification criteria are not met.</p> <p>Reproductive toxicity: Based on available data, the classification criteria are not met.</p> <p>Effects on or via lactation: Lack of data.</p> <p>Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.</p> <p>Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.</p> <p>Aspiration hazard: Based on available data, the classification criteria are not met.</p>
Other information:	<p>Measurements taken at temperatures exceeding 150 °C have revealed that a small quantity of formaldehyde splits off through oxidative decomposition.</p> <p>Formaldehyde vapour is harmful by inhalation and irritating to eyes and respiratory system at breathing concentration less than one part per million (1ppm).</p>

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:	<p>Acute (short-term) fish toxicity: Leuciscus idus LC0: 200 mg/L/ 96 h</p> <p>Chronic (long-term) fish toxicity: Leuciscus idus NOEC: >10000 mg/kg/ 28d</p> <p>Acute Daphnia toxicity: Daphnia magna (Big water flea) EC0: > 0.0001 mg/L/48h</p>
-------------------	---

12.2 Persistence and degradability

Further details:	Not readily biodegradable (according to OECD criteria)
------------------	--

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:	No data available
---	-------------------

12.4 Mobility in soil

No data available

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 23/2/2023
Version: 3.0
Replaces version: 2.0
Language: en-GB
Date of print: 6/3/2023

Kryo 70 A

Material number LZB x31

Page: 7 of 8

12.5 Results of PBT and vPvB assessment

The product does not contain any as PBT or vPvB classified substances.

12.6 Other adverse effects

General information: Do not allow to penetrate into soil, waterbodies or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 07 02 17 = waste containing silicones
Recommendation: Special waste. Dispose of waste according to applicable legislation.

Package

Recommendation: Dispose of waste according to applicable legislation. Handle contaminated packages in the same way as the substance itself.
Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number

ADR/RID, IMDG, IATA-DGR: not applicable

14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR: Not restricted

14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR: not applicable

14.4 Packing group

ADR/RID, IMDG, IATA-DGR: not applicable

14.5 Environmental hazards

Marine pollutant: no

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Great Britain

Hazchem-Code: -
No data available

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Kryo 70 A

Material number LZB x31

Revision date: 23/2/2023
Version: 3.0
Replaces version: 2.0
Language: en-GB
Date of print: 6/3/2023

Page: 8 of 8

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Further information

Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
AS/NZS: Australian Standards/New Zealand Standards
CAS: Chemical Abstracts Service
CFR: Code of Federal Regulations
CLP: Classification, Labelling and Packaging
DMEL: Derived minimal effect level
DNEL: Derived no-effect level
EC: Effective Concentration
EC: European Community
EN: European Standard
EQ: Excepted quantities
IATA: International Air Transport Association
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IMDG Code: International Maritime Dangerous Goods Code
LC0: Lethal concentration 0%
LEL: Lower Explosion Limit
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
NOEC: No Observed Effect Concentration
OECD: Organisation for Economic Co-operation and Development
OSHA: Occupational Safety and Health Administration
PBT: Persistent, bioaccumulative and toxic
PNEC: Predicted no-effect concentration
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
TRGS: Technical Rules for Hazardous Substances
vPvB: Very persistent and very bioaccumulative

Reason of change: Changes in section 1: Product name

Date of first version: 7/1/2022

Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.